

## Appliances properties: Bullerjan GmbH - Bullerjan Free Flow FF17 Typ 00

Master data

Date of entryAug 25, 2017ManufacturerBullerjan GmbH

Model Bullerjan Free Flow FF17 Typ 00

Nominal heat output [kW] 6.8

Declared nominal space heating output [kW] 6

Continuous burning appliance

Type test standard DIN EN 13240

Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH

2017

Number of test laboratory

Number of test report RRF - ITT 17-4464-1



Flue gas values

Year of testing

|                             | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s]    | 9.7  |
| Flue gas mass flow [g/s]    | 225  |
| Necessary flue draught [Pa] | 12   |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system



<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Evaluation of emission data and efficiency Wood            |            |
|--|------------|
| Norm DIN EN 13240: Roomheater for wood logs                | Evaluation |
| EU - Regulation (EU) 2015/1185 (Ecodesign)                 | ✓          |
| D - 1.BlmSchV  | Stufe 2    |
| A - Austrian regulation referred to Art 15a B-VG           | 2015       |
| CH - Swiss clean air act                                   | ✓          |
| OK - Danish regulation for air pollution from wood burners | •          |

## Evaluation of emission data and efficiency Lignite briquettes

F - Crédit d'impôt à la transition énergétique

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BlmSchV



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information