

Appliances properties: Spartherm Feuerungstechnik GmbH - Prismo 19/467, Rundo 19/477

Date of entry	Nov 26, 2011	
Manufacturer	Spartherm Feuerungstechnik GmbH	
Model	Prismo 19/467, Rundo 19/477	
Nominal heat output [kW]	7	
Continuous burning appliance	_	
Type test standard	DIN 18895	
Year of testing	1999	
Further important characteristics of the appliance		
Suitability for installation to a shared flue ¹⁾		_
Connectivity to the central heating system		-
General technical approval for room sealed operation		_
¹⁾ For unsealed operation it is possible to install the appliances to a shared flue	e system (please see installation manual).	
On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms been submitted to the HKI Industrieverband e.V.	compliance with the respective requirements* in accordance with 1.BImSchV. The type to	test report of the fireplace has
	SchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BI	mCab/(is fulfilled A valley, aboa
mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a	a red line means that the 1st BImSchV is not fulfilled.	mschv is fulllied. A yellow check
mark shows that the transitional regulation of the 1st BImSchV is fulfilled and .	a red line means that the 1st BImSchV is not fulfilled.	mschv is fullilled. A yellow check
Evaluation of emission data and efficiency Wood	a red line means that the 1st BImSchV is not fulfilled.	mschv is fulfilled. A yellow check
Evaluation of emission data and efficiency Wood	a red line means that the 1st BImSchV is not fulfilled.	mschv is fullilled. A yellow check
	Evaluation	
Evaluation of emission data and efficiency Wood Norm : Inset appliances (with closed firedoor)		
Evaluation of emission data and efficiency Wood Norm : Inset appliances (with closed firedoor)	Evaluation	
Evaluation of emission data and efficiency Wood Norm : Inset appliances (with closed firedoor) D - 1.BImSchV	Evaluation	

Evaluation of emission data and efficiency Lignite briquettes	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	According to the transitional rule §26 the appliance can be used until 31.12.2024

Emission evaluation legend

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
*	Compliant with the requirements of the 1 star stage in Italy.
**	Compliant with the requirements of the 2 star stage in Italy.
***	Compliant with the requirements of the 3 star stage in Italy.
***	Compliant with the requirements of the 4 star stage in Italy.
	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
—	No information/unknown
	No measuring values are available for this fuel, operation with this fuel is not permitted
Nosv	mbol means that there are no requirements

No symbol means that there are no requirements. Here you will find further information