

Appliances properties: Hark GmbH & Co. KG - Loop

Date of entryFeb 27, 2015ManufacturerHark GmbH & Co. KGModelLoopNominal heat output [kW]8Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240Year of testing2014Test laboratoryFeuerstättenprüfstelle Kahl GmbHNumber of test laboratory28	Master data		
Type test standardDIN EN 13240Year of testing2014Test laboratoryFeuerstättenprüfstelle Kahl GmbHNumber of test laboratory28	Manufacturer Model	Hark GmbH & Co. KG Loop	
Year of testing 2014 Test laboratory Feuerstättenprüfstelle Kahl GmbH Number of test laboratory 28	Continuous burning appliance	_	
Test laboratory Feuerstättenprüfstelle Kahl GmbH Number of test laboratory 28	Type test standard	DIN EN 13240	
Number of test laboratory 28	Year of testing	2014	
	Test laboratory	Feuerstättenprüfstelle Kahl GmbH	
	Number of test laboratory	28	
Number of test report FK 40 13 230	Number of test report	FK 40 13 230	

Flue gas values

	Wood	Coal
Flue gas mass flow [g/s]	8.4	5.2
Flue gas mass flow [g/s]	300	260
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	•
Connectivity to the central heating system	—
General technical approval for room sealed operation	—

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	2015
H - Swiss clean air act	× .
K - Danish regulation for air pollution from wood burners	× .
- Crédit d'impôt à la transition énergétique	7☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	× .
CH - Swiss clean air act	×

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
*	Compliant with the requirements of the 1 star stage in Italy.
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
***	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
—	No information/unknown
!	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information