

Appliances properties: Ofen Innovativ OI GmbH - Profi 75-3

Master data	
Date of entry	May 29, 2019
Manufacturer	Ofen Innovativ OI GmbH
Model	Profi 75-3
Nominal heat output [kW]	12.5
Declared nominal space heating output [kW]	12
Continuous burning appliance	_
Type test standard	DIN EN 12815
Year of testing	2017
Test laboratory	DBI-Gastechnisches Institut gGmbH Freiberg
Number of test laboratory	12
Number of test report	DBI F 16/01/0362
Flue gas values	
	Wood
Flue gas mass flow [g/s]	20.77

223

12

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Flue gas mass flow [g/s]

Necessary flue draught [Pa]

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm : Cookers D - 1.BImSchV A - Austrian regulation referred to Art. 15a B-VG CH - Swiss clean air act

Evaluation of emission data and efficiency Lignite briquettes

Evaluation of emission data and efficiency Wood

F - Crédit d'impôt à la transition énergétique

Norm : Cookers	Evaluation
D - 1.BImSchV	Ţ.

Evaluation of emission data and efficiency Pellets

Norm : Cookers	Evaluation
D - 1.BlmSchV	!



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information