

## Appliances properties: Spartherm Feuerungstechnik GmbH - Premium Varia 2R 55h GET - A1

Master data  Date of entry Manufacturer Spartherm Feuerungstechnik GmbH Premium Varia 2R 55h GET - A1  Nominal heat output [kW] 7 Continuous burning appliance Type test standard DIN EN 13229 Year of testing 2015 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 Number of test report RRF - 29 15 3939  Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Manufacturer  Model  Premium Varia 2R 55h GET - A1  Nominal heat output [kW]  7  Continuous burning appliance  Type test standard  Year of testing  Test laboratory  Number of test laboratory  Number of test report  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Manufacturer  Model  Premium Varia 2R 55h GET - A1  Nominal heat output [kW]  7  Continuous burning appliance  Type test standard  Pin En 13229  Year of testing  Test laboratory  Number of test laboratory  Number of test report  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Model Nominal heat output [kW] 7 Continuous burning appliance Type test standard Vear of testing Test laboratory Number of test laboratory Number of test report  Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Type test standard  Pin En 13229  Year of testing  Test laboratory  RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH  Number of test laboratory  Number of test report  RRF - 29 15 3939  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Type test standard Year of testing 2015  Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2 Number of test report RRF - 29 15 3939  Flue gas wass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Year of testing  Test laboratory  RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH  Number of test laboratory  RRF - 29 15 3939  Flue gas values  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Test laboratory  Number of test laboratory  Number of test report  RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH  2  RRF - 29 15 3939  Flue gas values  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Number of test laboratory  Number of test report  Plue gas values  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Number of test report  RRF - 29 15 3939  Flue gas values  Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Flue gas values  Flue gas mass flow [g/s]  Flue gas mass flow [g/s]  Necessary flue draught [Pa]	
Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Flue gas mass flow [g/s] Necessary flue draught [Pa]	
Flue gas mass flow [g/s] Necessary flue draught [Pa]	Wood
Necessary flue draught [Pa]	6.5
	276
	12
Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	<b>*</b>
Connectivity to the central heating system	_

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

EU-Inset appliance according to EN13229	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	<b>*</b>
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	<b>*</b>
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	7☆
I - Italian Decree No. 186	****

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	1



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information