

Appliances properties: Austroflamm GmbH - 45x51 K aquaHEAT - 362000

Master data

Date of entry	Jan 3, 2012
Manufacturer	Austroflamm GmbH
Model	45x51 K aquaHEAT
Product code	362000
Nominal heat output [kW]	9
Declared nominal space heating output [kW]	3
Nominal water heating output [kW]	6
Partial load [kW]	4
Part load space heating output [kW]	4
Water operating pressure [bar]	3
Continuous burning appliance	_
Thermal output	32,400
Type test standard	DIN EN 13229
Year of testing	2010
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF - 29 10 2285

Flue gas values

	Wood	
Flue gas mass flow [g/s]	9.1	
Flue gas mass flow [g/s]	255	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

/

Connectivity to the central heating system

V

General technical approval for room sealed operation

Evaluation of emission data and efficiency Lignite briquettes

Number of approval for room sealed operation

Z-43.11-275

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

EU-Inset appliance according to EN13229 EU - Regulation (EU) 2015/1185 (Ecodesign) D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act DK - Danish regulation for air pollution from wood burners F - Crédit d'impôt à la transition énergétique I - Italian Decree No. 186

,	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	I

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*}A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information