

Appliances properties: Attika Feuer AG - R-600 T

Master data

Date of entry Aug 21, 2024 Attika Feuer AG Manufacturer Model R-600 T Nominal heat output [kW] 7.9 Declared nominal space heating output [kW] 7.9 Continuous burning appliance EN 13229 Type test standard Year of testing 2024 Danish Technological Institute **Test laboratory** Number of test laboratory



Flue gas values

Number of test report

	Wood
Flue gas mass flow [g/s]	5.9
Flue gas mass flow [g/s]	310
Necessary flue draught [Pa]	12

300-ELAB-2686-EN

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

EU-Inset appliance according to EN13229 Evaluation EU - Regulation (EU) 2015/1185 (Ecodesign) Stufe 2 D - 1.BImSchV **7☆** F - Crédit d'impôt à la transition énergétique **单单单**

Evaluation of emission data and efficiency Wood

I - Italian Decree No. 186

Evaluation of emission data and efficiency Lignite briquettes	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	I



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information