


Appliances properties: LEDA Werk GmbH & Co. KG - TOPAS

Master data	
Date of entry	Apr 6, 2011
Manufacturer	LEDA Werk GmbH & Co. KG
Model	TOPAS
Nominal heat output [kW]	9
Continuous burning appliance	_
Type test standard	DIN 18895
Year of testing	1996
Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	_
Connectivity to the central heating system	
General technical approval for room sealed operation	
For unsealed operation it is possible to install the appliances to a shared f	flue system (nlease see installation manual)

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

Evaluation of emission data and efficiency Lignite briquettes		
Norm : Inset appliances (with closed firedoor)	Evaluation	
D - 1.BlmSchV	!	

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information