

Appliances properties: Supra S.A. - Marly D - Marke Supra

Master data	
Date of entry	Feb 26, 2008
Manufacturer	Supra S.A.
Model	Marly D
Product code	Marke Supra
Nominal heat output [kW]	11
Continuous burning appliance	_
Type test standard	DIN 18891
Year of testing	1995
Test laboratory	RWE Rheinbraun AG
Number of test laboratory	4.1
Number of test report	RB BF1 - Hn 10/95

Flue	gas	values
1 140	guo	valuoo

	Wood	
Flue gas mass flow [g/s]	9	
Flue gas mass flow [g/s]	383	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system

_

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act DK - Danish regulation for air pollution from wood burners F - Crédit d'impôt à la transition énergétique Evaluation Evaluation

Evaluation

Grandfathering

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BImSchV

CH - Swiss clean air act

A - Austrian regulation referred to Art 15a B-VG



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information