



Appliances properties: Wodtke GmbH - Spencer (K240A) (raumluftunabhängig)

Master data

Date of entrySep 19, 2018ManufacturerWodtke GmbH

Model Spencer (K240A) (raumluftunabhängig)

Nominal heat output [kW] 7

Declared nominal space heating output [kW] 7

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2016

Test laboratory TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group

Number of test laboratory

Number of test report K 1922 2016 Z1-Rev.01



Flue gas values


| | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s] | 6.2 |
| Flue gas mass flow [g/s] | 253 |
| Necessary flue draught [Pa] | 12 |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Connectivity to the central heating system

General technical approval for room sealed operation



Z-43.12-423

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).



This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| - 1.BlmSchV | Stufe 2 |
| - Austrian regulation referred to Art 15a B-VG | 2015 |
| H - Swiss clean air act | ✓ |
| K - Danish regulation for air pollution from wood burners | ✓ |
| - Crédit d'impôt à la transition énergétique | √ |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
|) - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | 3 dic 2 |
| | 2015 |
| CH - Swiss clean air act | |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information