

Appliances properties: Supra S.A. - Louisiane - Marke Supra

| Master data | | | |
|------------------------------|--|------|--|
| Date of entry | Feb 26, 2008 | | |
| Manufacturer | Supra S.A. | | |
| Model | Louisiane | | |
| Product code | Marke Supra | | |
| Nominal heat output [kW] | 9 | | |
| Continuous burning appliance | _ | | |
| Type test standard | DIN 18891 | | |
| Year of testing | 2002 | | |
| Test laboratory | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH | | |
| Number of test laboratory | 2 | | |
| Number of test report | RO-91-02-431 | | |
| | | | |
| Flue gas values | | | |
| | | Wood | |
| Flue gas mass flow [g/s] | | 9 | |
| Flue gas mass flow [g/s] | | 347 | |
| Necessary flue draught [Pa] | | 10 | |

Further important characteristics of the appliance

Suitability for installation to a shared flue $^{1)}$



Connectivity to the central heating system

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

General technical approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

CH - Swiss clean air act

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BImSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | _ |
| CH - Swiss clean air act | ✓ |
| K - Danish regulation for air pollution from wood burners | ✓ |
| - Crédit d'impôt à la transition énergétique | 7.4 |

| Evaluation of emission data and efficiency Lignite briquettes | |
|---|---------------------------|
| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
| D - 1.BlmSchV | Stufe 1 Grandfathering |
| A - Austrian regulation referred to Art 15a B-VG | _ |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information