

Appliances properties: HOXTER a.s. - ECKA 70/40/38 LN

Master data Date of entry Oct 26, 2021 HOXTER a.s. Manufacturer Model ECKA 70/40/38 LN Nominal heat output [kW] 11 Continuous burning appliance Type test standard **DIN EN 13229** 2018 Year of testing **Test laboratory** Strojirensky Zkusebni Ustav s.p. Number of test laboratory Number of test report 30-13758-T-5 Flue gas values Wood Flue gas mass flow [g/s] 9.1 Flue gas mass flow [g/s] 218 Necessary flue draught [Pa] 10

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

General technical approval for room sealed operation

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|-------------|
| D - 1.BlmSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | 2015 |
| CH - Swiss clean air act | * |
| DK - Danish regulation for air pollution from wood burners | * |
| F - Crédit d'impôt à la transition énergétique | √ 7★ |

Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BlmSchV | ļ. |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information