

## Appliances properties: Spartherm Feuerungstechnik GmbH - Speedy 1Vh 57 N 10,0kW - A

Master data			
Date of entry	Oct 17, 2013		
Manufacturer	Spartherm Feuerungstechnik GmbH		
Model	Speedy 1Vh 57 N 10,0kW - A		
Nominal heat output [kW]	10		
Continuous burning appliance	_		
Type test standard	DIN EN 13229		
Year of testing	2013		
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH		
Number of test laboratory	2		
Number of test report	RRF - 29 13 3384		
Flue gas values		Wood	
Flue gas mass flow [g/s]		8.8	
Flue gas mass flow [g/s]		170	
Necessary flue draught [Pa]		12	
Further important characteristics of the appliance			
Suitability for installation to a shared flue <sup>1)</sup>		_	
Connectivity to the central heating system		_	
General technical approval for room sealed operation	n	_	

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

EU-Inset appliance according to EN13229	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	<b>*</b>
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	<b>*</b>
CH - Swiss clean air act	<b>*</b>
DK - Danish regulation for air pollution from wood burners	<b>*</b>
F - Crédit d'impôt à la transition énergétique	7☆
I - Italian Decree No. 186	南南南

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BlmSchV	1



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information