

Appliances properties: Dovre N.V. - Vintage 30

Master data

Date of entry Dec 27, 2011 Manufacturer Dovre N.V. Model Vintage 30 Nominal heat output [kW] Declared nominal space heating output [kW]

DIN EN 13240 Type test standard

2011 Year of testing

Test laboratory LABORATORY K.V.B.G. - A.R.G.B.

Number of test laboratory 17 Number of test report H0081



Flue gas values

Continuous burning appliance

	Wood
Flue gas mass flow [g/s]	244
Necessary flue draught [Pa]	12.2

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

Connectivity to the central heating system

General technical approval for room sealed operation

Number of approval for room sealed operation

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V. * A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check

Z-43.12-315

Evaluation of emission data and efficiency Wood Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing Evaluation D - 1.BImSchV Stufe 2 CH - Swiss clean air act ✓ F - Crédit d'impôt à la transition énergétique ✓

Evaluation of emission data and emiciency Lightle briqueties	
Norm DIN EN 42340 (Intermittant huming). Deembester with flat lever firing	Evaluation
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation

D - 1.BlmSchV



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information