

## Appliances properties: Spartherm Feuerungstechnik GmbH - Speedy 1V 51 N 10,0kW - A

| Master data   |  |                  |
|---|--|------------------|
| Date of entry   | Oct 17, 2013                               |                  |
| Manufacturer  | Spartherm Feuerungstechnik GmbH            |                  |
| Model   | Speedy 1V 51 N 10,0kW - A                  |                  |
| Nominal heat output [kW]                                    | 10   |                  |
| Continuous burning appliance                                | _  |                  |
| Type test standard  | DIN EN 13229                               |                  |
| Year of testing   | 2013                                       |                  |
| Test laboratory   | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH |                  |
| Number of test laboratory                                   | 2  |                  |
| Number of test report                                       | RRF - 29 13 3298                           |                  |
| Flue gas mass flow [g/s]                                    |  | <b>Wood</b> 9.32 |
| Flue gas mass flow [g/s]                                    |  | 163              |
| Necessary flue draught [Pa]                                 |  | 12               |
|   |  |                  |
| Further important characteristics of the appliance          |  |                  |
| Suitability for installation to a shared flue <sup>1)</sup> |  | _                |
| Connectivity to the central heating system                  |  | _                |
| General technical approval for room sealed operation        |  | _                |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| EU-Inset appliance according to EN13229                    | Evaluation |
|--|------------|
| EU - Regulation (EU) 2015/1185 (Ecodesign)                 | <b>*</b>   |
| D - 1.BlmSchV  | Stufe 2    |
| A - Austrian regulation referred to Art 15a B-VG           | ✓          |
| CH - Swiss clean air act                                   | ✓          |
| DK - Danish regulation for air pollution from wood burners | ✓          |
| F - Crédit d'impôt à la transition énergétique             | 7☆         |
| I - Italian Decree No. 186                                 | <b>华华</b>  |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|------------|
| D - 1.BlmSchV                                  | 1          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information