

## Appliances properties: BRUNNER - Architektur-Kamin Eck 38/86/36 I

| Master data                                |                                  |            |
|--|----------------------------------|------------|
| Date of entry                              | Dec 17, 2007                     |            |
| Manufacturer 1997                          | BRUNNER                          |            |
| Nodel                                      | Architektur-Kamin Eck 38/86/36 I |            |
| Nominal heat output [kW]                   | 10                               |            |
| Declared nominal space heating output [kW] | 10                               |            |
| Continuous burning appliance               | -                                | Trimer and |
| īype test standard                         | DIN EN 13229                     |            |
| /ear of testing                            | 2007                             |            |
| Fest laboratory                            | TÜV SÜD Industrie Service GmbH   |            |
| Number of test laboratory                  | 1                                |            |
| Number of test report                      | W-O 1090-01/07                   |            |

Flue gas values

|                             | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s]    | 9    |
| Flue gas mass flow [g/s]    | 360  |
| Necessary flue draught [Pa] | 12   |

Further important characteristics of the appliance

| Suitability for installation to a shared flue <sup>1)</sup> | • |
|---|---|
| Connectivity to the central heating system                  | - |
| General technical approval for room sealed operation        | - |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Evaluation of emission data and efficiency Wood  |                                       |  |
|--|---------------------------------------|--|
| Norm : Inset appliances (with closed firedoor)   | Evaluation                            |  |
| D - 1.BImSchV                                    | Stufe 2                               |  |
| A - Austrian regulation referred to Art 15a B-VG | • • • • • • • • • • • • • • • • • • • |  |
| CH - Swiss clean air act                         | ✓                                     |  |
| F - Crédit d'impôt à la transition énergétique   | 7☆                                    |  |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm : Inset appliances (with closed firedoor) | Evaluation  |
|--|---|
| D - 1.BImSchV                                  | According to the transitional rule §26 the appliance can be used until 31.12.2024 |

| Stufe 2      | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)  |  |  |  |  |
|--------------|---|--|--|--|--|
| Stufe 1      | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)  |  |  |  |  |
| 2015         | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)                                   |  |  |  |  |
| <b>7☆</b>    | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label |  |  |  |  |
| 6 <b>☆</b>   | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label |  |  |  |  |
| <b>5☆</b>    | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label |  |  |  |  |
| *            | Compliant with the requirements of the 1 star stage in Italy.   |  |  |  |  |
| क्रे क्रे    | Compliant with the requirements of the 2 star stage in Italy.   |  |  |  |  |
| <b>*</b> 京京  | Compliant with the requirements of the 3 star stage in Italy.   |  |  |  |  |
| ***          | Compliant with the requirements of the 4 star stage in Italy.   |  |  |  |  |
| ****         | Compliant with the requirements of the 5 star stage in Italy.   |  |  |  |  |
|              | Fulfils the requirements  |  |  |  |  |
| $\checkmark$ | Complies with requirements of the transition ruling (1.BImSchV)   |  |  |  |  |
| -            | Requirements are not fulfilled  |  |  |  |  |
| —            | No information/unknown  |  |  |  |  |
| !            | No measuring values are available for this fuel, operation with this fuel is not permitted  |  |  |  |  |
| No svi       | No symbol means that there are no requirements.   |  |  |  |  |
|              |   |  |  |  |  |

Here you will find further information