

## Appliances properties: BRUNNER - GOT 45-101-ZL Tunnel mit GOF 99x36

### Master data

|   |   |
|---|---|
| <b>Date of entry</b>                              | Jun 1, 2016                               |
| <b>Manufacturer</b>                               | BRUNNER                                   |
| <b>Model</b>                                      | GOT 45-101-ZL Tunnel mit GOF 99x36        |
| <b>Nominal heat output [kW]</b>                   | 2.1                                       |
| <b>Declared nominal space heating output [kW]</b> | 2   |
| <b>Continuous burning appliance</b>               | —   |
| <b>Type test standard</b>                         | In Anlehnung an DIN EN 15250 und TROL2006 |
| <b>Year of testing</b>                            | 2014                                      |
| <b>Test laboratory</b>                            | TÜV SÜD Industrie Service GmbH            |
| <b>Number of test laboratory</b>                  | 1   |
| <b>Number of test report</b>                      | W-O1193-01-14                             |

### Flue gas values

|                                    | Wood |
|------------------------------------|------|
| <b>Flue gas mass flow [g/s]</b>    | 35.1 |
| <b>Flue gas mass flow [g/s]</b>    | 164  |
| <b>Necessary flue draught [Pa]</b> | 13   |

### Further important characteristics of the appliance

|   |   |
|---|---|
| <b>Suitability for installation to a shared flue<sup>1)</sup></b> | ✓ |
| <b>Connectivity to the central heating system</b>                 | — |
| <b>General technical approval for room sealed operation</b>       | — |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

### Norm : Masonry heater

### Evaluation

D - 1.BImSchV



A - Austrian regulation referred to Art 15a B-VG



CH - Swiss clean air act



F - Crédit d'impôt à la transition énergétique



## Evaluation of emission data and efficiency Lignite briquettes

### Norm : Masonry heater

### Evaluation

D - 1.BImSchV



## Emission evaluation legend

---

-  Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-  Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-  Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-  Compliant with the requirements for the „Crédit d’impôt“ promotion in France, the fireplace complies with the classification 7\* of the Flamme Verte Label
-  Compliant with the requirements for the „Crédit d’impôt“ promotion in France, the fireplace complies with the classification 6\* of the Flamme Verte Label
-  Compliant with the requirements for the „Crédit d’impôt“ promotion in France, the fireplace complies with the classification 5\* of the Flamme Verte Label
-  Compliant with the requirements of the 1 star stage in Italy.
-  Compliant with the requirements of the 2 star stage in Italy.
-  Compliant with the requirements of the 3 star stage in Italy.
-  Compliant with the requirements of the 4 star stage in Italy.
-  Compliant with the requirements of the 5 star stage in Italy.
-  Fulfils the requirements
-  Complies with requirements of the transition ruling (1.BImSchV)
-  Requirements are not fulfilled
-  No information/unknown
-  No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information