

Appliances properties: Austroflamm GmbH - Sina

Master data	
Date of entry	Sep 2, 2022
Manufacturer	Austroflamm GmbH
Model	Sina
Nominal heat output [kW]	6
Declared nominal space heating output [kW]	6
Continuous burning appliance	_
Type test standard	DIN EN 13240
Year of testing	2021
Test laboratory	ACTECO SRL
Number of test laboratory	33
Number of test report	1880-CPR-091-21

Flue gas val	lues
--------------	------

	Wood
Flue gas mass flow [g/s]	4.4
Flue gas mass flow [g/s]	226
Necessary flue draught [Pa]	11.6

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

4

Connectivity to the central heating system

General technical approval for room sealed operation

Z43.12-474

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

Number of approval for room sealed operation

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240: Roomheater for wood logs	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	*
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	*
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7 ☆
I - Italian Decree No. 186	旅游游游

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

D - 1.BImSchV



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information