Appliances properties: Erwin Koppe keramische Heizgeräte GmbH - Yargo II

Jul 22, 2010
Erwin Koppe keramische Heizgeräte GmbH
Yargo II
6
—
DIN EN 13240
2005
RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
2
RRF-40 04 609

Flue gas values		
	Wood	Coal
Flue gas mass flow [g/s]	5.4	5.1
Flue gas mass flow [g/s]	299	345
Necessary flue draught [Pa]	10	11

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	
Connectivity to the central heating system	-
General technical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240: Roomheater for wood logs	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	-
D - 1.BImSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	
CH - Swiss clean air act	 Image: A set of the set of the
DK - Danish regulation for air pollution from wood burners	-
F - Crédit d'impôt à la transition énergétique	5☆
I - Italian Decree No. 186	xx

Evaluation of emission data and efficiency Lignite briquettes EU-Roomheater accroding to EN 13240 Evaluation EU - Regulation (EU) 2015/1185 (Ecodesign) D - 1.BlmSchV Image: Comparison of the example of