

Appliances properties: LEDA Werk GmbH & Co. KG - KARAT 51xW, 57xW, 68xW

Master data Date of entry Mar 11, 2008 Manufacturer LEDA Werk GmbH & Co. KG KARAT 51xW, 57xW, 68xW Model Nominal heat output [kW] 13 Continuous burning appliance Type test standard **DIN EN 13229** 2001 Year of testing **Test laboratory** Technische Universtität Wien 7 Number of test laboratory Number of test report PL-0155-P

| | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s] | 12 |
| Flue gas mass flow [g/s] | 173 |
| Necessary flue draught [Pa] | 13 |
| | |
| | |

Suitability for installation to a shared flue 1)

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm: Inset appliances (with closed firedoor) D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act F - Crédit d'impôt à la transition énergétique

Evaluation of emission data and efficiency Wood

| Norm : Inset appliances (with closed firedoor) | Evaluation |
|--|---|
| D - 1.BImSchV | |
| | According to the transitional rule §26 the appliance can be used until 31.12.2024 |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information