

Appliances properties: Spartherm Feuerungstechnik GmbH - Stella

| Date of entry | Nov 26, 2011 |
|---|---------------------------------|
| Manufacturer | Spartherm Feuerungstechnik GmbH |
| Model | Stella |
| Nominal heat output [kW] | 6 |
| Continuous burning appliance | _ |
| Type test standard | DIN 18891 |
| Year of testing | 2001 |
| Test laboratory | DMT Feuerstätten Prüfstelle |
| Number of test laboratory | 20 |
| Number of test report | RO-91 01 07 |
| · | |
| Flue gas values | Wood |
| Flue gas values | Wood 5.4 |
| Flue gas values Flue gas mass flow [g/s] | |
| Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] | 5.4 |
| Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] | 5.4 270 |
| | 5.4 270 |

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing D - 1.BImSchV According to the transitional rule §26 the appliance can be used until 31.12.2024 A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act DK - Danish regulation for air pollution from wood burners

Evaluation of emission data and efficiency Lignite briquettes

F - Crédit d'impôt à la transition énergétique

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until \$31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information