

Appliances properties: Alltrade TOPO GmbH - Pamir Granit+ - 104114

Date of entryDec 14, 2015ManufacturerAltrade TOPO GmbHModelPami Granit+Product code104114Nominal heat output [kW]6Declared nominal space heating output [kW]6.7Continuous burning applianceDIN EN 13240Yape test standardDIN EN 13240Year of testing2015Test laboratory32Number of test standardSubreconstantNumber of test reportNB1879-K-042015	Master data		
ModelPamir Granit+Product code104114Nominal heat output [kW]6Declared nominal space heating output [kW]6.7Continuous burning applianceImage: StandardType test standardDIN EN 13240Year of testing2015Test laboratoryKONTROL 94 Ltd.Number of test laboratory32	Date of entry	Dec 14, 2015	
Product code104114Nominal heat output [kW]6Declared nominal space heating output [kW]6.7Continuous burning appliance—Type test standardDIN EN 13240Year of testing2015Test laboratoryKONTROL 94 Ltd.Number of test laboratory32	Manufacturer	Alltrade TOPO GmbH	
Nominal heat output [kW]6Declared nominal space heating output [kW]6.7Continuous burning appliance-Type test standardDIN EN 13240Year of testing2015Test laboratoryKONTROL 94 Ltd.Number of test laboratory32	Model	Pamir Granit+	
Declared nominal space heating output [kW]6.7Continuous burning applianceType test standardDIN EN 13240Year of testing2015Test laboratoryKONTROL 94 Ltd.Number of test laboratory32	Product code	104114	
Continuous burning applianceImage: Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13240DIN EN 13240Year of testing2015Control 94 Ltd.Test laboratoryKONTROL 94 Ltd.Control 94 Ltd.Number of test laboratory32Control 94 Ltd.	Nominal heat output [kW]	6	
Type test standardDIN EN 13240Year of testing2015Test laboratoryKONTROL 94 Ltd.Number of test laboratory32	Declared nominal space heating output [kW]	6.7	
Year of testing 2015 Test laboratory KONTROL 94 Ltd. Number of test laboratory 32	Continuous burning appliance	-	
Test laboratory KONTROL 94 Ltd. Number of test laboratory 32	Type test standard	DIN EN 13240	
Number of test laboratory 32	Year of testing	2015	
	Test laboratory	KONTROL 94 Ltd.	
Number of test report NB1879-K-04-2015	Number of test laboratory	32	
	Number of test report	NB1879-K-04-2015	

	Flue gas values	
U		

	Wood	Coal
Flue gas mass flow [g/s]	6.41	6.65
Flue gas mass flow [g/s]	220	227
Necessary flue draught [Pa]	12	12

Further important characteristics of the appliance

Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	_
H - Swiss clean air act	×
K - Danish regulation for air pollution from wood burners	-
- Crédit d'impôt à la transition énergétique	

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	-
:H - Swiss clean air act	×

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
*	Compliant with the requirements of the 1 star stage in Italy.
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.
* 京京	Compliant with the requirements of the 3 star stage in Italy.
***	Compliant with the requirements of the 4 star stage in Italy.
****	Compliant with the requirements of the 5 star stage in Italy.
	Fulfils the requirements
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)
-	Requirements are not fulfilled
—	No information/unknown
!	No measuring values are available for this fuel, operation with this fuel is not permitted
No svi	nbol means that there are no requirements.

Here you will find further information