

Appliances properties: Morsoe Jernstoeberie A/S - 7650

| Master data | | |
|------------------------------|--|---|
| Date of entry | Jan 23, 2011 | |
| Manufacturer | Morsoe Jernstoeberie A/S |) |
| Model | 7650 | 1 |
| Nominal heat output [kW] | 6.2 | |
| Continuous burning appliance | | |
| Type test standard | DIN EN 13240 | |
| Year of testing | 2008 | |
| Test laboratory | RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH | |
| Number of test laboratory | 2 | |
| Number of test report | RRF-40 10 2524 | |

Flue gas values

| | Wood |
|-----------------------------|------|
| Flue gas mass flow [g/s] | 5.3 |
| Flue gas mass flow [g/s] | 335 |
| Necessary flue draught [Pa] | 12 |

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾
Connectivity to the central heating system
General technical approval for room sealed operation
Number of approval for room sealed operation
Z-43.12-309

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| orm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|--|------------|
| - 1.BImSchV | Stufe 2 |
| - Austrian regulation referred to Art 15a B-VG | × . |
| H - Swiss clean air act | × |
| K - Danish regulation for air pollution from wood burners | × |
| - Crédit d'impôt à la transition énergétique | |

Evaluation of emission data and efficiency Lignite briquettes

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BlmSchV | |
| D - 1.BImSchV | |

According to the transitional rule §26 the appliance can be used until 31.12.2024

| Stufe 2 | Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany) | | | | |
|--------------|---|--|--|--|--|
| Stufe 1 | Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany) | | | | |
| 2015 | Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria) | | | | |
| 7☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label | | | | |
| 6 ☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label | | | | |
| 5☆ | Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label | | | | |
| * | Compliant with the requirements of the 1 star stage in Italy. | | | | |
| क्रे क्रे | Compliant with the requirements of the 2 star stage in Italy. | | | | |
| * 京京 | Compliant with the requirements of the 3 star stage in Italy. | | | | |
| *** | Compliant with the requirements of the 4 star stage in Italy. | | | | |
| **** | Compliant with the requirements of the 5 star stage in Italy. | | | | |
| | Fulfils the requirements | | | | |
| \checkmark | Complies with requirements of the transition ruling (1.BImSchV) | | | | |
| — | Requirements are not fulfilled | | | | |
| — | No information/unknown | | | | |
| ! | No measuring values are available for this fuel, operation with this fuel is not permitted | | | | |
| No svi | No symbol means that there are no requirements. | | | | |
| | | | | | |

Here you will find further information