



Appliances properties: Wodtke GmbH - New Look F9 (KK61) (raumluftunabhängig)

Master data

Date of entryJul 4, 2016ManufacturerWodtke GmbH

Model New Look F9 (KK61) (raumluftunabhängig)

Nominal heat output [kW]

Declared nominal space heating output [kW]

Continuous burning appliance

Type test standard DIN EN 13240

Year of testing 2012

Test laboratory RWE Power AG

Number of test laboratory

Number of test report FSPS-Wa 2165-EN



Flue gas values

	Wood
Flue gas mass flow [g/s]	6
Flue gas mass flow [g/s]	295
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue¹⁾

4

Connectivity to the central heating system



General technical approval for room sealed operation



Number of approval for room sealed operation

Z-43.12-335

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

*A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).



This appliance is authorized to use the HKI quality label.

Evaluation of emission data and efficiency Wood		
lorm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation	
9 - 1.BlmSchV	Stufe 2	
- Austrian regulation referred to Art 15a B-VG	*	
H - Swiss clean air act	✓	
K - Danish regulation for air pollution from wood burners	✓	
- Crédit d'impôt à la transition énergétique	√	

Evaluation of emission data and efficiency Lignite briquettes	
Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	!



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information