

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - KF108-MARS SPECKST. 6,5kW (bis 2015) - W20001085140

Manufacturer Model		
Manufacturer Wamsler Haus- und Küchentechnik GmbH KF108-MARS SPECKST. 6,5kW (bis 2015) Product code Nominal heat output [kW] 6.5 Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Flue gas mass flow [g/s] W20001085140 M20001085140 M2	ta	
Manufacturer Wamsler Haus- und Küchentechnik GmbH KF108-MARS SPECKST. 6,5kW (bis 2015) Product code Nominal heat output [kW] 6.5 Continuous burning appliance Type test standard Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] Flue gas mass flow [g/s] M20001085140 M	try	
Product code W20001085140 Nominal heat output [kW] 6.5 Continuous burning appliance		
Nominal heat output [kW] Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory 4.1 FSPS-Wa 1807-EN Flue gas values Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 2009 RWE Rheinbraun AG 4.1 FSPS-Wa 1807-EN		
Continuous burning appliance Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG 4.1 FSPS-Wa 1807-EN Wood Flue gas walues Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s]	ode	
Type test standard DIN EN 13240 Year of testing 2009 Test laboratory RWE Rheinbraun AG Number of test laboratory 4.1 Number of test report FSPS-Wa 1807-EN Flue gas values Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	eat output [kW]	
Year of testing Test laboratory RWE Rheinbraun AG Number of test laboratory A.1 Flue gas values Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 2009 RWE Rheinbraun AG A.1 FSPS-Wa 1807-EN Wood Wood Flue gas mass flow [g/s] 7 290	s burning appliance	
RWE Rheinbraun AG Number of test laboratory 4.1 Number of test report Flue gas values Wood Flue gas mass flow [g/s]	standard	
Number of test laboratory Number of test report Filue gas values Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s]	sting	
Flue gas mass flow [g/s]	atory	
Flue gas values Wood Flue gas mass flow [g/s] Flue gas mass flow [g/s] 290	test laboratory	
Wood Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	i test report	
Flue gas mass flow [g/s] 7 Flue gas mass flow [g/s] 290	/alues	Wood
	nass flow [g/s]	
Necessary flue draught [Pa] 12	nass flow [g/s]	290
	rflue draught [Pa]	12
Further important characteristics of the appliance	portant characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	for installation to a shared flue ¹⁾	*
Connectivity to the central heating system	ity to the central heating system	_
General technical approval for room sealed operation	chnical approval for room sealed operation	_

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	*
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7★

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	•



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information