

Master data

## Appliances properties: Spartherm Feuerungstechnik GmbH - Varia A-FDh H2O 10,4 kW - A1

Date of entry	Feb 18, 2015

Manufacturer Spartherm Feuerungstechnik GmbH

Model Varia A-FDh H2O 10,4 kW - A1

Nominal heat output [kW] 10.4

Declared nominal space heating output [kW] 4

Nominal water heating output [kW] 6.2

Water operating pressure [bar] 3

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 2012

Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH

Number of test laboratory

Number of test report RRF - 29 12 2919

Flue gas values

	Wood
Flue gas mass flow [g/s]	10.1
Flue gas mass flow [g/s]	260
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)



Connectivity to the central heating system

General technical approval for room sealed operation

1) For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

U-Inset appliance according to EN13229	Evaluation
U - Regulation (EU) 2015/1185 (Ecodesign)	✓
) - 1.BlmSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	✓
K - Danish regulation for air pollution from wood burners	✓
- Crédit d'impôt à la transition énergétique	<b>✓</b> 7\$

## Evaluation of emission data and efficiency Lignite briquettes

I - Italian Decree No. 186

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1 BlmSchV	1



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information