# Appliances properties: Austroflamm GmbH - KE 75x39 S 2.0 - 360124

Master data	
Date of entry	May 16, 2018
Manufacturer	Austroflamm GmbH
Model	KE 75x39 S 2.0
Product code	360124
Nominal heat output [kW]	10
Declared nominal space heating output [kW]	10
Continuous burning appliance	-
Thermal output	36,000
Type test standard	DIN EN 13229
Year of testing	2015
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF - 29 15 4122

Flue gas values	
	Wood
Flue gas mass flow [g/s]	8.1
Flue gas mass flow [g/s]	313
Necessary flue draught [Pa]	12

# Suitability for installation to a shared flue<sup>1)</sup>

## Connectivity to the central heating system

#### General technical approval for room sealed operation

#### Number of approval for room sealed operation

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

Z-43.12-273

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

EU-Inset appliance according to EN13229	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	×
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	×
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	7★
I - Italian Decree No. 186	के के क

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	