

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - KF10850-ZÜRICH II WNS 6,5KW VE1 (bis 2016) - W20001085037

Master data		
Date of entry	Jul 15, 2016	
Manufacturer	Wamsler Haus- und Küchentechnik GmbH	
Model	KF10850-ZÜRICH II WNS 6,5KW VE1 (bis 2016) W20001085037 6.5	
Product code		
Nominal heat output [kW]		
Continuous burning appliance	_	
Гуре test standard	DIN EN 13240	
Year of testing	2009	
Test laboratory	RWE Power AG	
Number of test laboratory	4	
Number of test report	FSPS-Wa 1807-EN	
Flue gas values		Wood
		Wood 7
Flue gas mass flow [g/s] Flue gas mass flow [g/s]		7
Flue gas mass flow [g/s] Flue gas mass flow [g/s]		7 290
Flue gas walues Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa] Further important characteristics of the appliance		7 290
Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa]		7 290
Flue gas mass flow [g/s] Flue gas mass flow [g/s] Necessary flue draught [Pa] Further important characteristics of the appliance		7 290

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	_
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	-
F - Crédit d'impôt à la transition énergétique	√ 7 ☆

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	-
CH - Swiss clean air act	•



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information