

## Appliances properties: ORTNER GmbH - GOR44 große Tür

| Master data   |                              |       |
|---|------------------------------|-------|
| Date of entry   | Apr 19, 2021                 |       |
| Manufacturer  | ORTNER GmbH                  |       |
| Model   | GOR44 große Tür              |       |
| Nominal heat output [kW]                                    | 2.8                          |       |
| Continuous burning appliance                                | _                            |       |
| Type test standard  | DIN EN 13229                 |       |
| Year of testing   | 2012                         |       |
| Test laboratory   | Technische Universtität Wien |       |
| Number of test laboratory                                   | 7                            |       |
| Number of test report                                       | PL-12010-P                   |       |
|   |                              |       |
| Flue gas values   |                              |       |
|   |                              | Wood  |
| Flue gas mass flow [g/s]                                    |                              | 17.1  |
| Flue gas mass flow [g/s]                                    |                              | 187.6 |
| Necessary flue draught [Pa]                                 |                              | 13.2  |
|   |                              |       |
| Further important characteristics of the appliance          |                              |       |
|   |                              |       |
| Suitability for installation to a shared flue <sup>1)</sup> |                              | _     |
| Connectivity to the central heating system                  |                              | _     |
|   |                              |       |

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

| EU-Inset appliance according to EN13229          | Evaluation  |
|--|-------------|
| EU - Regulation (EU) 2015/1185 (Ecodesign)       | ✓           |
| D - 1.BlmSchV                                    | Stufe 2     |
| A - Austrian regulation referred to Art 15a B-VG | 2015        |
| CH - Swiss clean air act                         | ✓           |
| F - Crédit d'impôt à la transition énergétique   | <b>√</b> 7★ |

## Evaluation of emission data and efficiency Lignite briquettes

| Norm : Masonry heater | Evaluation |
|-----------------------|------------|
| D - 1.BImSchV         | !          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information