Appliances properties: Krog Iversen & Co. A/S - Scan 56-3

| Master data | |
|------------------------------|------------------------|
| Date of entry | Jun 4, 2011 |
| Manufacturer | Krog Iversen & Co. A/S |
| Model | Scan 56-3 |
| Nominal heat output [kW] | 7 |
| Continuous burning appliance | — (|
| Type test standard | DIN EN 13240 |
| Year of testing | 2007 |
| Test laboratory | RWE Rheinbraun AG |
| Number of test laboratory | 4.1 |
| Number of test report | FSPS-Wa 1654-EN |

 Flue gas values
 Wood

 Flue gas mass flow [g/s]
 8

 Flue gas mass flow [g/s]
 310

 Necessary flue draught [Pa]
 11

| Further important characteristics of the appliance | |
|---|---|
| Suitability for installation to a shared flue ¹⁾ | |
| Connectivity to the central heating system | - |
| General technical approval for room sealed operation | _ |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

| Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing | Evaluation |
|---|------------|
| D - 1.BImSchV | Stufe 2 |
| A - Austrian regulation referred to Art 15a B-VG | - |
| CH - Swiss clean air act | × |
| DK - Danish regulation for air pollution from wood burners | × |
| - Crédit d'impôt à la transition énergétique | |

Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024

L