## Appliances properties: Spartherm Feuerungstechnik GmbH - Varia 1Vh 51 X 17,5kW (Bauart A1 ; 07.2013-07.2018)

Master data	
Date of entry	Oct 7, 2013
Manufacturer	Spartherm Feuerungstechnik GmbH
Model	Varia 1Vh 51 X 17,5kW (Bauart A1 ; 07.2013-07.2018)
Nominal heat output [kW]	17.5
Continuous burning appliance	—
Type test standard	DIN EN 13229
Year of testing	2013
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF - 29 13 3252

## Flue gas values

	Wood
Flue gas mass flow [g/s]	13.09
Flue gas mass flow [g/s]	330
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission of	data and efficiency Wood
---------------------------	--------------------------

EU-Inset appliance according to EN13229	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	<ul> <li>Image: A set of the set of the</li></ul>
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7\$
I - Italian Decree No. 186	<b>於</b> 放向

Evaluation of emission data and efficiency Lignite briquettes	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!