Appliances properties: Spartherm Feuerungstechnik GmbH - Mini 2R 7,0kW (Bauart A; ab 07.2015)

Master data	
Date of entry	Aug 13, 2015
Manufacturer	Spartherm Feuerungstechnik GmbH
Model	Mini 2R 7,0kW (Bauart A; ab 07.2015)
Nominal heat output [kW]	7
Declared nominal space heating output [kW]	7
Continuous burning appliance	-
Type test standard	DIN EN 13229
Year of testing	2015
Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test laboratory	2
Number of test report	RRF - 29 14 3846

Flue gas values

	Wood	
Flue gas mass flow [g/s]	6.2	
Flue gas mass flow [g/s]	343	
Necessary flue draught [Pa]	12	

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	-
Connectivity to the central heating system	-
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission of	data and efficiency Wood
---------------------------	--------------------------

EU-Inset appliance according to EN13229	Evaluation
EU - Regulation (EU) 2015/1185 (Ecodesign)	 Image: A set of the set of the
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	• • • • • • • • • • • • • • • • • • •
CH - Swiss clean air act	×
DK - Danish regulation for air pollution from wood burners	×
F - Crédit d'impôt à la transition énergétique	7\$
I - Italian Decree No. 186	於 放 向

Evaluation of emission data and efficiency Lignite briquettes	
Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!