

## Appliances properties: Max Blank GmbH - Nevada

Master data		
Date of entry	Nov 16, 2022	
Manufacturer	Max Blank GmbH	
Model	Nevada	
Continuous burning appliance	_	
Type test standard	DIN EN 13240	
Year of testing	2006	
Test laboratory	TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group	
Number of test laboratory	5	
Number of test report	K108 2006 Z2	
Flue gas values		Wood
Flue gas mass flow [g/s]		16.9
Flue gas mass flow [g/s]		365
Necessary flue draught [Pa]		12
Further important characteristics of the a	appliance	
Suitability for installation to a shared f	lue <sup>1)</sup>	_
Connectivity to the central heating system		_
General technical approval for room so	ealed operation	_
1) For unacalled energing it is possible to install the	annliances to a shared flue system (nlease see installation manual)	

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

## Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BImSchV



## Evaluation of emission data and efficiency Lignite briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BImSchV

According to the transitional rule  $\S26$  the appliance can be used until \$31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information