

Appliances properties: ROKOSSA Energietechnik GmbH - RG1 14,5kW

Date of entryMar 24, 2015ManufacturerROKOSA Energietechnik GmbHModelRG1 14,5kWNominal heat output [kW]14.5Declared nominal space heating output [kW]0.4Water operating noutput [kW]0.4Water operating appliance0.1Type test standardDIN EN 13229Year of testing2011Test laboratoryRFR Phein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratoryRRF 29 11 2830	Master data	
ModelRG1 14,5kWNominal heat output [kW]14.5Declared nominal space heating output [kW]4Nominal water heating output [kW]0.4Water operating pressure [bar]3Continuous burning applianceIN EN 13229Year of testing2011Year of testingREF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Date of entry	Mar 24, 2015
Nominal heat output [kW]14.5Declared nominal space heating output [kW]4Nominal water heating output [kW]10.4Water operating pressure [bar]3Continuous burning applianceImage: StandardType test standardDIN EN 13229Year of testing2011Test laboratoryREF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Manufacturer	ROKOSSA Energietechnik GmbH
Declared nominal space heating output [kW]4Nominal water heating output [kW]10.4Water operating pressure [bar]3Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2011Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Model	RG1 14,5kW
Nominal water heating output [kW]10.4Water operating pressure [bar]3Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2011Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Nominal heat output [kW]	14.5
Water operating pressure [bar]3Continuous burning applianceImage: Image: Ima	Declared nominal space heating output [kW]	4
Continuous burning applianceImage: Continuous burning applianceType test standardDIN EN 13229Year of testing2011Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Nominal water heating output [kW]	10.4
Type test standardDIN EN 13229Year of testing2011Test laboratoryRRF Rhein-Ruhr-Feuerstättenprüfstelle GmbHNumber of test laboratory2	Water operating pressure [bar]	3
Year of testing 2011 Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2	Continuous burning appliance	—
Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH Number of test laboratory 2	Type test standard	DIN EN 13229
Number of test laboratory 2	Year of testing	2011
	Test laboratory	RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH
Number of test report RRF-29 11 2830	Number of test laboratory	2
	Number of test report	RRF-29 11 2830

Flue gas values

	Wood
Flue gas mass flow [g/s]	9.9
Flue gas mass flow [g/s]	265
Necessary flue draught [Pa]	12

Further important characteristics of the appliance	
Suitability for installation to a shared flue ¹⁾	×
Connectivity to the central heating system	×
General technical approval for room sealed operation	-

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

orm : Inset appliances (with closed firedoor)	Evaluation
- 1.BImSchV	Stufe 2
strian regulation referred to Art 15a B-VG	2015
Swiss clean air act	•
- Crédit d'impôt à la transition énergétique	· · · · · · · · · · · · · · · · · · ·

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)	Evaluation
D - 1.BImSchV	!

Stufe 2	Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)		
Stufe 1	Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)		
2015	Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)		
7☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label		
6 ☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label		
5☆	Compliant with the requirements for the "Crédit d'impôt" promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label		
*	Compliant with the requirements of the 1 star stage in Italy.		
क्रे क्रे	Compliant with the requirements of the 2 star stage in Italy.		
* 京京	Compliant with the requirements of the 3 star stage in Italy.		
***	Compliant with the requirements of the 4 star stage in Italy.		
****	Compliant with the requirements of the 5 star stage in Italy.		
	Fulfils the requirements		
\checkmark	Complies with requirements of the transition ruling (1.BImSchV)		
-	Requirements are not fulfilled		
—	No information/unknown		
!	No measuring values are available for this fuel, operation with this fuel is not permitted		
No svi	No symbol means that there are no requirements.		

Here you will find further information