

## Appliances properties: Bernhard Kaschütz GmbH - Eurotherm 4/D EV mit 1 Nachheizkasten

Master data

Date of entry Mar 27, 2014

Manufacturer Bernhard Kaschütz GmbH

Model Eurotherm 4/D EV mit 1 Nachheizkasten

Nominal heat output [kW] 4.2

Declared nominal space heating output [kW] 4

Partial load [kW] 2

Continuous burning appliance

Type test standard DIN EN 13229

Year of testing 20

Test laboratory Versuchs- und Forschungsanstalt der Hafner Österreichs

Number of test laboratory 8

Number of test report VFH-12-015-P



Flue gas values

|                             | Wood |  |
|-----------------------------|------|--|
| Flue gas mass flow [g/s]    | 36.5 |  |
| Flue gas mass flow [g/s]    | 166  |  |
| Necessary flue draught [Pa] | 14   |  |

Further important characteristics of the appliance

Suitability for installation to a shared flue 1)

Connectivity to the central heating system

## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\*A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

| orm : Inset appliances (with closed firedoor) | Evaluation |
|---|------------|
| BlmSchV                                       | Stufe 2    |
| strian regulation referred to Art 15a B-VG    | ✓          |
| Swiss clean air act                           | ✓          |
| - Crédit d'impôt à la transition énergétique  | •          |

| Evaluation of emission data and efficiency Lignite briquettes |            |
|---|------------|
| Norm : Inset appliances (with closed firedoor)                | Evaluation |
| D - 1.BlmSchV   | 1          |



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information