

## Appliances properties: Fireplace Kft - K 1282 San Marino

Master data	
	1 00 0005
Date of entry	Jun 20, 2005
Manufacturer	Fireplace Kft
Model	K 1282 San Marino
Nominal heat output [kW]	6
Continuous burning appliance	_
Type test standard	DIN EN 13240
Year of testing	2005
Test laboratory	TNO Science and Industry
Number of test laboratory	9
Number of test report	2005PMC/072
Flue gas values	
	Wood
Flue gas mass flow [g/s]	5.9
Flue gas mass flow [g/s]	350
Necessary flue draught [Pa]	11
Further important characteristics of the appliance	
Suitability for installation to a shared flue <sup>1)</sup>	_

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG CH - Swiss clean air act F - Crédit d'impôt à la transition énergétique

## Evaluation of emission data and efficiency Lignite briquettes

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing

Evaluation

D - 1.BImSchV





No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information