

## Appliances properties: Attika Feuer AG - Q-TEE 2 C SST

Master data

Date of entry Jan 25, 2021 Manufacturer Attika Feuer AG Model Q-TEE 2 C SST Nominal heat output [kW] 6.5 Continuous burning appliance **DIN EN 13240** Type test standard Year of testing 2017 **Test laboratory** Danish Technological Institute 15 **Number of test laboratory** Number of test report 300-ELAB-1882-EN-Rev3



Flue gas values

	Wood
Flue gas mass flow [g/s]	5.2
Flue gas mass flow [g/s]	263
Necessary flue draught [Pa]	12

Further important characteristics of the appliance

Suitability for installation to a shared flue  $^{1)}$ 

Connectivity to the central heating system

## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

\* A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

## Evaluation of emission data and efficiency Wood

CH - Swiss clean air act

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BImSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	✓
OK - Danish regulation for air pollution from wood burners	✓
- Crédit d'impôt à la transition énergétique	7.

## Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing D - 1.BImSchV A - Austrian regulation referred to Art 15a B-VG



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information