

# Appliances properties: Justus GmbH - Rustico-50 2.0 - 1862

Master data

Date of entry Feb 2, 2022 Manufacturer Justus GmbH Model Rustico-50 2.0 **Product code** 1862 Nominal heat output [kW] 7 Declared nominal space heating output [kW] Continuous burning appliance **DIN EN 12815** Type test standard Year of testing 2019 KONTROL 94 Ltd. **Test laboratory** Number of test laboratory 32 Number of test report NB 1879-K-17-2019



Flue gas values

	Wood
Flue gas mass flow [g/s]	7.2
Flue gas mass flow [g/s]	258
Necessary flue draught [Pa]	10.5

Further important characteristics of the appliance

Suitability for installation to a shared flue<sup>1)</sup>

Connectivity to the central heating system

## General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

# EU-Cooker according to EN 12815 EU - Regulation (EU) 2015/1185 (Ecodesign) D - 1.BImSchV A - Austrian regulation referred to Art. 15a B-VG CH - Swiss clean air act F - Crédit d'impôt à la transition énergétique I - Italian Decree No. 186

## Evaluation of emission data and efficiency Lignite briquettes

Evaluation of emission data and efficiency Wood

Norm : Cookers	Evaluation
D - 1.BlmSchV	

## Evaluation of emission data and efficiency Pellets

Norm : Cookers	Evaluation
D - 1.BlmSchV	!



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information