



Appliances properties: Spartherm Feuerungstechnik GmbH - Arte 1Vh (Bauart A; ab 1998)

Master data

| | |
|-------------------------------------|---------------------------------|
| Date of entry | Nov 26, 2011 |
| Manufacturer | Spartherm Feuerungstechnik GmbH |
| Model | Arte 1Vh (Bauart A; ab 1998) |
| Nominal heat output [kW] | 8 |
| Continuous burning appliance | — |
| Type test standard | DIN 18895 |
| Year of testing | 1988 |
| Test laboratory | Deutsche Kohle Marketing GmbH |
| Number of test laboratory | 22 |
| Number of test report | RO-95 98 57 |

Flue gas values

| | Wood |
|------------------------------------|------|
| Flue gas mass flow [g/s] | 6 |
| Flue gas mass flow [g/s] | 346 |
| Necessary flue draught [Pa] | 14 |

Further important characteristics of the appliance

| | |
|---|---|
| Suitability for installation to a shared flue¹⁾ | — |
| Connectivity to the central heating system | — |
| General technical approval for room sealed operation | — |

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

* A green check mark with a „1“ indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a „2“ indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm : Inset appliances (with closed firedoor)

Evaluation

D - 1.BImSchV

!

According to the transitional rule §26 the appliance can be used until 31.12.2020

A - Austrian regulation referred to Art 15a B-VG

!

CH - Swiss clean air act

!

F - Crédit d'impôt à la transition énergétique

!

Evaluation of emission data and efficiency Lignite briquettes

Norm : Inset appliances (with closed firedoor)

Evaluation

D - 1.BImSchV

!

According to the transitional rule §26 the appliance can be used until 31.12.2020

Emission evaluation legend

-  Stufe 2 Compliant with the requirements of the 2nd stage of the 1.BImSchV (only for Germany)
-  Stufe 1 Compliant with the requirements of the 1st stage of the 1.BImSchV (only for Germany)
-  2015 Compliant with the requirements of the Austrian Agreement pursuant to Art. 15a B-VG from 2015 (applies only to Austria)
-  7★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 7* of the Flamme Verte Label
-  6★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 6* of the Flamme Verte Label
-  5★ Compliant with the requirements for the „Crédit d'impôt“ promotion in France, the fireplace complies with the classification 5* of the Flamme Verte Label
-  ★ Compliant with the requirements of the 1 star stage in Italy.
-  ★★ Compliant with the requirements of the 2 star stage in Italy.
-  ★★★ Compliant with the requirements of the 3 star stage in Italy.
-  ★★★★ Compliant with the requirements of the 4 star stage in Italy.
-  ★★★★★ Compliant with the requirements of the 5 star stage in Italy.
-  Fulfils the requirements
-  Complies with requirements of the transition ruling (1.BImSchV)
-  Requirements are not fulfilled
-  No information/unknown
-  No measuring values are available for this fuel, operation with this fuel is not permitted

No symbol means that there are no requirements.

Here you will find further information