

## Appliances properties: Wamsler Haus- und Küchentechnik GmbH - K144S+C BEISTELLHERD 40cm (bis 2012) - W2000144xxxx

Manufacturer Wamsler Haus- und Küchentechnik GmbH K144S+C BEISTELLHERD 40cm (bis 2012) W2000144xxxx Mominal heat output [kW] Continuous burning appliance  Type test standard  Wamsler Haus- und Küchentechnik GmbH W2000144xxxx  DIN EN 12815	
Manufacturer       Wamsler Haus- und Küchentechnik GmbH         Model       K144S+C BEISTELLHERD 40cm (bis 2012)         Product code       W2000144xxxx         Nominal heat output [kW]       5         Continuous burning appliance       IN EN 12815	
Manufacturer Wamsler Haus- und Küchentechnik GmbH K144S+C BEISTELLHERD 40cm (bis 2012) Product code W2000144xxxx Nominal heat output [kW]  Continuous burning appliance Type test standard  Wamsler Haus- und Küchentechnik GmbH K144S+C BEISTELLHERD 40cm (bis 2012)  W2000144xxxx  DIN EN 12815	
Model K144S+C BEISTELLHERD 40cm (bis 2012)  Product code W2000144xxxx  Nominal heat output [kW] 5  Continuous burning appliance DIN EN 12815	
Product code W2000144xxxx Nominal heat output [kW] 5  Continuous burning appliance DIN EN 12815	
Nominal heat output [kW] 5  Continuous burning appliance  Type test standard DIN EN 12815	
Continuous burning appliance  Type test standard  DIN EN 12815	
Year of testing 2009	
Test laboratory RRF Rhein-Ruhr-Feuerstättenprüfstelle GmbH	
Number of test laboratory 2	
Number of test report RRF - 15 09 2159	
Flue gas values  Woo	
Flue gas mass flow [g/s]	6
	80
	12
Further important characteristics of the appliance	
·	
Suitability for installation to a shared flue <sup>1)</sup>	<b>*</b>
Connectivity to the central heating system	_
General technical approval for room sealed operation	_

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

## Evaluation of emission data and efficiency Wood

Norm : Cookers	Evaluation
D - 1.BlmSchV	Stufe 1 Grandfathering
A - Austrian regulation referred to Art. 15a B-VG	✓
CH - Swiss clean air act	✓
F - Crédit d'impôt à la transition énergétique	5☆

## Evaluation of emission data and efficiency Lignite briquettes

Norm : Cookers	Evaluation
D - 1.BlmSchV	Stufe 2 Grandfathering
A - Austrian regulation referred to Art 15a B-VG	✓
CH - Swiss clean air act	<b>✓</b>

## Evaluation of emission data and efficiency Pellets

Norm : Cookers Evaluation

D - 1.BlmSchV

According to the transitional rule §26 the appliance can be used until 31.12.2024



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information