

## Appliances properties: Palazzetti Lelio S. p. A. - ECOMONOBLOCCO 16-9 O2RING

Master data				
Data of ontry	Mar 9, 2012			
Date of entry  Manufacturer	Mar 8, 2013 Palazzetti Lelio S. p. A.			
Model				
	ECOMONOBLOCCO 16-9 O2RING			
Nominal heat output [kW]	19.7			
Continuous burning appliance	_			
Type test standard	DIN EN 13229			
Year of testing	2012			
Test laboratory	TÜV RHEINLAND INDUSTRIE SERVICE GMBH - TÜV Rheinland Group			
Number of test laboratory	5	5		
Number of test report	K 709 2012 T1			
Flux variables				
Flue gas values				
		Wood		
Flue gas mass flow [g/s]		17.1		
Flue gas mass flow [g/s]		280.7		
Necessary flue draught [Pa]		11		
Further important characteristics of the a	appliance			
Suitability for installation to a shared f	_			
Connectivity to the central heating system				
General technical approval for room sealed operation				

<sup>1)</sup> For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements\* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

<sup>\*</sup> A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

orm : Inset appliance with flat-layer firing	Evaluation
1.BImSchV	Stufe 2
ustrian regulation referred to Art 15a B-VG	✓
Swiss clean air act	<b>✓</b>
Crédit d'impôt à la transition énergétique	•

Evaluation of emission data and efficiency Lignite briquettes				
Norm : Inset appliance with flat-layer firing	Evaluation			
D - 1.BlmSchV	1			



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information