

Appliances properties: Wamsler Haus- und Küchentechnik GmbH - KF108-Delta-F APSP WSP 8kW (ab 2009) - W20001088115

Master data			
Date of entry	Jan 11, 2011		
Manufacturer	Wamsler Haus- und Küchentechnik GmbH		
Model	KF108-Delta-F APSP WSP 8kW (ab 2009) W20001088115		
Product code			
Nominal heat output [kW]	8		
Declared nominal space heating output [kW]	8		
Continuous burning appliance	_		
Type test standard	DIN EN 13240		
Year of testing	2009		
Test laboratory	TÜV Süd Kermi Kft.		
Number of test laboratory	14		
Number of test report	189855		
Flue gas values			
	Wood		
Flue gas mass flow [g/s]	7		
Flue gas mass flow [g/s]	260		
Necessary flue draught [Pa]	12		
Further important characteristics of the appliance			
Suitability for installation to a shared flue ¹⁾	•		

Connectivity to the central heating system

General technical approval for room sealed operation

On behalf of the manufacturer, the HKI Industrieverband e.V. hereby confirms compliance with the respective requirements* in accordance with 1.BImSchV. The type test report of the fireplace has been submitted to the HKI Industrieverband e.V.

¹⁾ For unsealed operation it is possible to install the appliances to a shared flue system (please see installation manual).

^{*} A green check mark with a "1" indicates that the requirements of the 1st BImSchV are fulfilled, a green check mark with a "2" indicates that the 2nd level of the 1st BImSchV is fulfilled. A yellow check mark shows that the transitional regulation of the 1st BImSchV is fulfilled and a red line means that the 1st BImSchV is not fulfilled.

Evaluation of emission data and efficiency Wood

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
D - 1.BlmSchV	Stufe 2
A - Austrian regulation referred to Art 15a B-VG	2015
CH - Swiss clean air act	✓
DK - Danish regulation for air pollution from wood burners	✓
F - Crédit d'impôt à la transition énergétique	√ 7 ☆

Evaluation of	omiccion	data a	nd officionav	Lianita	briguettee
	emission	uala a	na emciency	LIGITILE	briquettes

Norm DIN EN 13240 (Intermittent burning): Roomheater with flat-layer firing	Evaluation
- 1.BlmSchV	Stufe 2
- Austrian regulation referred to Art 15a B-VG	✓
/ Addition To Great to All Tod B VO	2015
CH - Swiss clean air act	✓



No symbol means that there are no requirements.

No measuring values are available for this fuel, operation with this fuel is not permitted

Here you will find further information